

PREMISES DEPARTMENT ZONAL OFFICE SILIGURI

COMPOSITE TENDER DOCUMENT INTERIOR FURNISHING, ELECTRICAL & DATA CABLING WORK IN NEW PREMISES FOR BRANCH & ATM OF INDIAN BANK KALIMPONG BRANCH, DISTRICT – KALIMPONG (WEST BENGAL)

Ref. No : ZOSIL/2022-23/3055

Date : 19/05/2022

issued to:					
M/S	• • • • • • • •		• • • • • •	• • • • •	• • • • •
ADDRESS	• • • • • • •			••••	
CONTACT	•••••	• • • • • •	• • • • • •		
E-MAIL:			••••	• • • • •	

Last date of submission of Tender	03/06/2022 up to 16:00 HRS at Indian Bank, Zonal Office Siliguri, Premises Department, 2 nd Church Road, Siliguri – 734001			
Date of opening Tender	04/06/2022 at 13:00 HRS Indian Bank, Zonal Office Siliguri, Premises Department, 2 nd Church Road, Siliguri - 734001			
Cost Of Tender	Free Of Cost.			

CONSULTANT:

M/s. Burman Et.Al.
Architecture .Interior. Engineering. QAQC

164-B, Rash behari Avenue,

Kolkata-700029.

(M): 7980227306, 9874797597

Email: <u>burmanetal2008@gmail.com</u>. <u>burmanetalkol@gmail.com</u>.



<u>INDEX</u>

DESCRIPTION	PAGE NOS.
NOTICE INVITING TENDER	3
FORM OF TENDER	4
GENERAL RULES AND INSTRUCTIONS TO TENDERERS	5 – 10
ARTICLES OF AGREEMENT	11 – 13
APPROVED LIST OF MATERIALS	14
SCHEDULE OF QUANTITIES	15 – 25
DRAWINGS	26 – 27



INDIAN BANK ZONAL OFFICE - SILIGURI

NOTICE INVITING TENDER

Indian Bank, Zonal Office Siliguri invites sealed tenders from **empanelled contractors** with Indian Bank (single bid system) for proposed Interior Furnishing, Electrical & Data Cabling Works in the New Premises for ATM & Branch of Kalimpong Branch, District – Kalimpong (West Bengal). The Tender Documents can be

downloaded from the Bank's website (www.indianbank.in) under Tender Column.

	Interior Furnishing, Electrical & Data Cabling Works in				
Nama of work	New Premises for ATM (Ground Floor) and Branch (First				
Name of Work	Floor) of Kalimpong Branch, RCM Road, Above JIO Office,				
	Dist- Kalimpong- 734301 (W.B.)				
Estimated cost of work	Rs. 12.67 Lakhs (exclusive of GST)				
Period of completion	30 days to be reckoned from 5 TH day from the date of issue of the Work Order or handing over of site whichever is later				
Validity of Tender	90 Days from the date of opening				
Defects Liability Period	12 Months from the date of virtual completion of work				
Earnest Money Deposit	Rs. 10,000/- (Rupees Ten Thousand Only) by way of DD/IOI in favour of Indian Bank, Zonal Office Siliguri. *Firms registered with MSME / NSIC with valid certificates issued by GOI are exempted from submitting EMD along with Tender.				
Initial Security Deposit (ISD)	After acceptance of Work Order, Contractor shall submit ISD of 2% of the Bid / Contract Amount in the form of DD.				
Retention Money (RM)	8% of the Bill Amount excluding Taxes				
Total Security Deposit (TSD) = ISD + RM	10% of the Bid Amount (ISD – 2% & RM – 8%) ISD Amount will be refunded to Contractor within 14 days from the issue of Work Completion Certificate by the Architect and the Retention Money will be refunded after the completion of defect liability period.				
Interim / Adhoc Payment	No Interim / Adhoc Payment will be paid				
Liquidated Damages	1% per week of the Contract Value subject to maximum total of 10% of final Contract value				
Tender Documents	Tender documents can be obtained from Indian Bank, Zonal Office, Premises Department, 2 nd Church Road, Siliguri - 734001 from 19/05/2022 to 03/06/2022 on all working days during office hours and / or can be downloaded from the Bank's website (www.indianbank.in) under Tenders column.				
Last date of submission of tenders	03/06/2022 up to 16:00 Hrs at Indian Bank, Zonal Office, Premises Department, 2 nd Church Road, Siliguri - 734001				
Date of opening Tender	04/06/2022 at 13:00 HRS Indian Bank, Zonal Office, Premises Department, 2 nd Church Road, Siliguri - 734001				
	Period of completion Validity of Tender Defects Liability Period Earnest Money Deposit Initial Security Deposit (ISD) Retention Money (RM) Total Security Deposit (TSD) = ISD + RM Interim / Adhoc Payment Liquidated Damages Tender Documents Last date of submission of tenders				

Note:

- 1. The bank reserves the right to reject any tender/bid without assigning any reason.
- 2. The rates quoted by the tenderer shall be based only on the specifications and conditions of the tender documents.
- 3. Bank is not liable to make any payment to tenderers for preparation to submit the tender/bid.



FORM OF TENDER

Zonal Manager Indian Bank Zonal Office Siliguri Premises Department 2nd Church Road, Janta Nagar Siliguri- 734001

Dear Sir,

Place:

Date:

SUB: Invitation of Composite Tender for Interior Furnishing, Electrical & Data Cabling Works in the New Premises for ATM & Branch of Kalimpong Branch, District - Kalimpong (West Bengal)

Having examined the drawings, specifications, conditions and schedule of quantities prepared by you, and satisfying ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted for the items in the Schedule of Quantities.

I/We herewith deposit **Rs. 10,000/- (Rupees Ten Thousand Only)** by crossed demand draft / IOI payable at Siliguri and drawn in favour of Indian Bank as Earnest Money Deposit for the due execution of the works at my/our tendered rates, together with any variations should the work be awarded to me/us.

In the event of this tender being accepted, I/We agree to enter into and execute the necessary contract required by you. I/We do hereby bind myself/ourselves to forfeit the aforesaid Earnest Money Deposit of Rs. 10,000/- (Rupees Ten Thousand only) in the event of our refusal or delay in signing the Contract Agreement. I/We further agree to complete the work within the stipulated time specified in the Appendix to General Conditions of Contract.

> Witness Signature: Name: Address:

Seal:



<u>Technical part - B</u> <u>GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF TENDERERS</u>

1 Definition of terms / interpretation:

- Employer/Owner/Bank /Indian Bank/ Accepting Authority shall mean Indian Bank with their Corporate Office at No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai 600 014 inter-alia having their Zonal Office Siliguri at 2nd Church Road, Janta Nagar, Siliguri 734001 (West Bengal) and any of its employees representative authorized on their behalf.
- Throughout these bidding documents, the terms "bid" and "tender" and their derivatives ("bidder"/"tenderer"), "bidered /tendered", "bidding"/"tendering", etc. are Synonymous.
- Day means calendar day. Singular also means plural
- "Contractor" means the person whose Tender has been accepted by the Employer and the legal successors in title to such person, but not (except with the consent of the Employer) any assignee of such person.
- Tenderer: The term 'Tenderer' shall mean the individual or firm or company whether incorporated or not, undertaking the work and shall include legal representative(s) of such individuals or persons composing such firm or company or successors of such firm or company as the case may be and permitted assigns of such individual or firm or company.
- 2 Tenders, which should always be placed in sealed cover, with the name of the work written on the envelope "Interior Furnishing, Electrical & Data Cabling Works in New Premises of Kalimpong Branch, RCM Road, Above JIO Office, Dist- Kalimpong" will be received by Chief Manager (P&D), Indian Bank, Zonal Office, Premises Department, Siliguri.
- Earnest money amounting to <u>Rs.10,000/- (Rupees Ten Thousand only)</u> in the form of Demand Draft /IOI drawn in favour of "<u>Indian Bank, Zonal Office Siliguri"</u>, must accompany each tender. EMD amount will not carry interest. Tender without earnest money will be summarily rejected. Please note that firms registered with MSME / NSIC under single point registration with valid certificates issued by GOI are exempted from submitting EMD. Necessary Certificates must accompany Bid. No other type of certificate is acceptable. The exemption and relaxation in EMD is subject to the validity & acceptance of their registration certificate on the date of opening of Tender.
- 4 The Indian Bank does not bind itself to accept the lowest or any tender and reserves to itself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- a. The rate quoted by the Tenderer shall be net (excluding GST), up to the stage of incorporation and handing over site. All taxes including (excluding GST) or any other tax on material or on finished works like Turn-over Tax, including taxes that may be newly introduced subsequent to the tender etc. in respect of this contract shall be payable by the Tenderer and the Indian Bank will not entertain any claim whatsoever in this respect.

The rate quoted should be excluding GST.

The tenderer who wishes to quote for the tender should have GST registration and should mention the registration number.

- 5 The Tenderer shall give a list of his relatives working with the Indian Bank along with their designations and addresses.
- 6 No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract



is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the tender or engagement in the Tenderers service.

- 7 The tender for works shall remain open for acceptance for a period of 90 days from the date of opening of Tender. If any tenderer who withdraws his tender before the said period, then the Indian Bank shall be at liberty to forfeit Earnest Money paid along with the tender.
- 8 The tender for the work shall not be witnessed by a Tenderer or Tenderers who himself/themselves has/have tendered or who may and had/have tendered for the same work. Failure to observe this condition would render tenders of the Tenderers tendering as well as witnessing the tender liable to summary rejection.
- 9 It will be obligatory on the part of the tenderer to tender and sign the tender documents for all the component parts.
- 10 Transfer of tender documents purchased by one intending Tenderer to another is not permitted.
- 11 The Tenderer must pay the amount of Earnest Money as mentioned in the Notice of Tender Invitation by Bank Demand Draft payable to Indian Bank. No interest on Earnest Money deposited by the Tenderer shall be allowed. The Tenderer should attach the Bank Draft along with the tender failing which the tender will not be considered. No other mode of payment shall be accepted.
- 12 The Earnest Money Deposit of unsuccessful tenderers shall be refunded within three weeks of award of contract to the successful tenderer or within one week of actual commencement of work whichever is earlier and in any case not later than SIX months.
- 13 The Earnest Money Deposit of the successful tenderer shall be refunded on the acceptance by the Employer of the Contractor's Demand Draft towards Security Deposit.
- 14 The EMD of the Tenderer, whose tender is accepted, shall be forfeited in full in case he does not start the work by stipulated date mentioned in the award letter.
- 15 The retention amount at 8% on the value of the bill paid will be held by the Indian Bank apart from ISD. ISD Amount (2%) will be refunded to Contractor within 14 days from the issue of Work Completion Certificate by the Architect and the Retention Money (8%) will be released at the end of Defect Liability Period (12 Months), subject to satisfactory rectification of defects noticed, if any. ISD and Retention Amount held in our Bank's Book will not carry any interest.
- The acceptance of a tender will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the tenders received without the assignment of a reason. Tenders in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the tender in full or in part and the tenderer shall have no claim for revision of rates or other conditions if his tender is accepted in parts.
- 17 Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the Tenderers who resort to canvassing will be liable to rejection.
- 18 All rates shall be quoted on the proper form of the tender alone. **All the entries to be made legibly in ink only.** Rates written in pencil or any other mode shall not be considered for evaluation and will be rejected.
- 19 An item rate tender containing percentage below / above will be summarily rejected. However, where a tenderer voluntarily offers a rebate for payment along with sealed tender, the same may be considered.
- 20 On acceptance of the tender the name of the accredited representative(s) of the Tenderer who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank.
- 21 Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.



- 22 The Contractor shall within 7 days of receiving the **WORK ORDER** submit **INITIAL SECURITY DEPOSIT of 2% of the contract value in the form of a Demand Draft**. On acceptance of the Demand Draft, the Earnest Money Deposit shall be refunded to the Contractor.
- 23 The Contractor shall comply with and give all notices required under any law, rules, regulations, or byelaw of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/ approval from the building secretary/ association. The Contractor shall before commencing the execution of work issue a certificate to the Employer that he has obtained all the permissions Registrations and give all the notices as are required to be obtained or given under law particularly blasting permission, Police permission etc.
- 24 The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care to keep areas free from getting water logged, from concrete/mortar dippings, bricks, steel, shuttering materials or any other material / rubbish.
- Debris and items removed from the building have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No floor, roof or other part of the building shall be over-loaded with debris or materials as to render it unsafe.
- 26 Employer reserves the right to insist on selection of material, workmanship, detailing and finishes, which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.
- 27 Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/ materials.
- For painting & Lamination, sample area shall be prepared and the shade got approved. It is also advised to give computer presentation of various colour schemes to the employer before going for sample painting/Lamination,
- 29 The Tenderer should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants. Any damage so caused shall be made good at the cost & risk of the tenderer.
- 30 The successful tenderers shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc to support the frames, partitions, make the surface good after grouting, scaffolding required if any to load/unload the materials etc.
- 31 The successful contractor shall also be responsible for the safety and security of all their materials and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge.
- 32 The work shall be carried out without disturbing the existing occupants of other offices. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost. The work is to be organized and executed so as to have least disturbance to the occupants of other offices.
- 33 No interim payment / Adhoc Payment will be entertained in any case
- 34 The contractor should ensure payment of minimum wages + VDA to all labourers / workmen staff employed by him inline with central/ state labour wage act whichever higher.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's Liability Act 1938, Workman's Compensation Act 1923, the Maternity Benefit Act 1961, the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition) Act 1970 and Employees State Insurance Act



1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made thereunder from time to time or as a consequence of any accident or injury to any workman or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims.

From commencement to completion of works, the Contractor shall take full responsibility for the care of the work and for taking precautions to prevent loss or damage to the work to the maximum extent possible and shall be liable for any damage or loss that may arise to the works or any part thereof from any cause whatsoever including causes of fire, lightning, explosion, earthquake, storm, hurricane, floods, inundation, subsidence, landslides, rock slides, riots (excluding civil war, rebellion, revolution and insurrection) or any latent defect or damage and shall at his own cost repair and make good the same so that at all times the work shall be in good order and condition and in conformity in every respect with the requirements of the Contract.

For the purpose of this condition this expression "from commencement to completion of works" shall mean the period starting with the date of issue of Work Order or date of handing over of site whichever is later and ending with issue of Virtual Completion Certificate.

Without limiting the obligations and responsibilities under this condition, the Contractor shall insure and keep insured the works from commencement to completion, as aforesaid, for the full contract value including Price Variation Adjustment if any against the risk of loss or damage from any cause whatsoever including the causes enumerated in the foregoing paragraphs. In the event of there being a variation in the nature and extent of the works, the Contractor shall from time to time increase or decrease the value of the insurance correspondingly. All the premia for the insurance shall be borne and paid by the Contractor.

Before commencing the work, the Contractor shall without limiting his obligations and responsibilities under this condition, insure against any loss of life or injury to any personnel in the employment of Contractor / Sub-Contractor/nominated Sub- Contractor. For this purpose, an insurance shall be taken by the Contractor /Sub- Contractor. Such an insurance shall be taken to include both employees/workmen covered by the Workman's Compensation Act 1923, as well those employees/workmen not covered by the said Act. Separate insurance policies may be taken for employees/ workmen covered by Workman's Compensation Act 1923, and employees / workmen not covered by the said Act. All the premia shall be paid by the Contractor. Policy/Policies taken under this para for the personnel in employment with the Contractor / Sub-Contractor may be in their Employer's names of the Contractor / Sub-Contractor / nominated Sub-Contractors. In the event of any loss or injury to personnel in employment with the Contractor / Sub-Contractor / nominated Sub-Contractors, the Employer and Contractor shall recover directly from the Insurance Company and ensure that payment of the same is made to the affected parties including the Employer. The policy in original shall be deposited with the Employer.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the construction and maintenance of the work and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto. Before commencing the execution of the works, the Contractor shall without in any way limiting his obligations and liabilities under this condition, insure at his cost and expense against any damage or loss or injury which may be caused to any person or property including the employees and directors of the Employer and their property by or in the course of the execution of the works. Such insurance to be known as the Third Party Insurance shall be in a sum of Rs. 1.00 lakh. The Insurance policy to be so obtained by the Contractor shall be deposited by the Contractor with the Employer within Seven days of its issue by the Insurer.

36 The Contractor shall take all precautionary measures to ensure the safety of the workmen employed by it. The contractor shall be fully responsible for the any injury or damage caused to the workmen deployed by him at site for carrying out the work and Bank has nothing to do with such happenings and in no way shall be held responsible for the same.



- 37 The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.
- 38 If the work is not started within **7 days** from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory and is not consistence to be in contingent with the period of the completion of the work then the Bank may terminate the work order by giving a 5 days' notice to the contractor. In such case the contractor shall be liable to pay the employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages.
- 39 The time allowed for completing the works is **30 days** to be reckoned from **5**TH **day** from the date of Work Order / date of handing over site whichever is later. Tenderers shall submit a programme (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.
- 40 If the Contractor fails to complete any or all the works by the date/s named in **Clause 39** (Date of Completion) or within any extended time (permitted by Bank) then the Contractor shall pay or allow the Employer the sum to be worked out at **1.0%** of contract value per week to be recovered as Liquidated Damages (and not by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be **10%** of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.
- **Extension of time:** If in the opinion of the Employer/ Architects the works be delayed (a) by reason of any exceptionally inclement weather or (b) by reason of instructions from the employer in consequence of proceedings taken or threatened by or disputes, with adjoining or neighboring owners or (c) by the works, or delay of other contractors nominated by the employer and not referred to in the specification or (d) by the reason of authorized extra and additions or (e) by reason or any combination or works men or strikes or lock-out affecting any of the building trade or (f) from other causes which the employer may consider are beyond the control of the contractor, the employer at the completion of the time allowed for the contract shall make fair and reasonable extension of time for completion in respect therefore. In the event of the employer failing to give possession of the site upon the day specified above, the time of completion shall be extended suitably.
 - In case of such strikes or lockouts as are referred to above, the contractor shall, immediately give the employer, written notice thereof. Nevertheless he shall use his best endeavours to prevent delay, and shall do all that may be reasonably required, to the satisfaction of the employer for any extension of time for completion hereunder (which shall be final and binding on the contractor) shall be promulgated at the conclusion of such strike or lock-out and the employer shall then, in the event of an extension being, granted, determine, and declare the final completion date. The provision in clause 13 with respect to payments of liquidated damages shall be construed as if the extended date fixed by the employer was substituted for and the damages shall be deducted accordingly.
- 42 The successful tenderer shall be required to execute an Agreement in the proforma attached with this tender document within 7 days from the date of receipt of the notice of acceptance of tender. In the event of failure on the part of the successful tenderer to sign the agreement within the above stipulated period, the earnest money will be forfeited and the acceptance of the tender shall be considered as cancelled.
- 43 The final bill will be released on satisfactory completion of the entire work and on completion of all the terms and conditions / obligations spelt out and on proper submission of the bill together with the measurements. Final Bill settlement is within 30 days from the date of proper submission of bill & measurements.
- 44 The tenderers shall separately specify at the end of the tender the % and value of SGST and CGST as applicable. As on date 9 % CGST and 9% SGST IS APPLICABLE FOR WORKS CONTRACT. Regarding tax



part, the tax rate at the time of billing shall rule over and above all documentations. Valid documents shall be produced if tendered/ asked for at the time before payment. TDS for income tax is as applicable and shall be included in the quoted rates. The comparison for the least bidder shall be made with the basic price of items of work excluding "Goods and Service Tax" part.

- 45 At any stage i.e. during the execution of work, any kind of change required, whether it is in design or specification, the contractor must inform the concerned Department of the Bank or Architect and after getting the approval, the same has to be incorporated by the contractor.
- 46 Single Power point & Water for work will be provide by bank at free of cost
- 47 The contractor shall not directly or indirectly sublet the work to other party without written permission of the bank.
- 48 The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 49 Bank shall not be responsible for any loss or damage to the contractor/ labour due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities
- 48 No advance payment shall be made to the contractor on supply of any material supplied at site for execution; Payment shall be made only after completion of the work, submission of proper bills and measurement and checking at the site by Architect and Bank' Engineer.
- 49 Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. They must go through specifications and documents. Any clarification, if required, may be taken from the bank before submitting the quote.
- 50 The quantities mentioned in schedule are provisional and likely to increase /decrease to any extent or may be omitted thus altering the aggregate value of the contract. No claim for loss of profit/business shall be entertained on this account.
- 51 The contractor /vendor failed to carry out the works as per schedule/Quality, the same shall be carryout with different agencies and the actual amount will be deducted from the contractor bills.
- 52 Payment to the contractor shall be made as per actual work done of site.
- The contractor agency shall keep particular vigil on his workers to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material/labour used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 54 The Bank reserves the right to accept/reject any quotes without assigning any reasons.
- 55 Any work got executed in poor workmanship as pointed out by the Bank' Official will have to be dismantled and redone by the Contractor on his own cost
- 56 Any addition, alteration or correction in the quote shall be signed and stamped properly by the contractor

DECLARATION:

I / We hereby declare that I / We read and understood the above terms and conditions and that we shall abide by them if the work is awarded to us.

Signature & Seal of the Tenderer



ARTICLES OF AGREEMENT

THIS AGREEMENT is made on this day ofmonth of between Indian Bank and having its
Zonal Office at 2 nd Church Road, Janta Nagar, Siliguri - 734001 (hereinafter referred to as the "Employer")
which expression shall include its successor, legal heirs and assignees of the one part.
AND M/s having its office at
(Hereinafter referred to as the
"Contractor") which expression shall include its successor, legal heirs and assignees of the second part.
WHEREAS the Employer has caused drawings and tender documents for "Electrical & Data Cabling Work in New Premises of Kalimpong Branch, District – Kalimpong"
AND whereas the Employer has called for tender vide ref. no
AND whereas the contractor has submitted the tender ref. no dated
to the Employer on
AND whereas the Employer has issued the work order ref dated to
the contractor to do the work.
AND whereas the Contractor has agreed to execute the work as per drawings, specifications, conditions of contract and Work Order.
AND whereas the Employer has accepted the Contractor's tender as aforesaid and whereas the tender
submitted by the contractor has been accepted for such sum as may be ascertained to be payable in terms of
the Bill of Quantities and which sum is estimated to be Rs (Rupees
) Hereinafter referred to as the said "Contract Agreement".

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:-

- 1) In consideration of the said Contract Sum to be paid at the times and in the manner set forth in the said Conditions the Contractor shall carry out and complete the Works in terms and conditions herein contained and according to the general conditions of the contract, notice inviting tender, special conditions of contract, general scope of work, technical specifications, schedule of rates and instructions to be given by and the supervision of and to the entire satisfaction of the Employer.
- 2) Contract Price, Taxes and Payment Terms:

3) Completion Period:

Time is the essence of the Contract. The work is to be completed in all respects within **30 days** reckoned from 5th **day** from the date of issue of the Work Order or handing over of site whichever is later. If the Contractor fails to complete the job within the agreed time period the Contractor will have to bear liquidated damages as per the relevant clause mentioned in the Tender Documents.



2) Earnest Money:

The Contractor has deposited an amount of Rs.10,000/- (Rupees Ten Thousand only) as earnest money.

3) **Inspection of Site**:

The Contractor has inspected the site before submitting his tender and has satisfied himself as to the nature of the work to be executed on the site. Any difficulties which the Contractor may come across in the course of the work shall in no way relieve the contractor to claim or receive extra payment unless the Employer is of the opinion that such difficulties could not have been foreseen and the Employer consents in writing.

4) Supply of Material and Labour:

The Contractor shall arrange all labour, materials, equipments, tools, tackles and everything necessary for the completion of the work. The Contractor will assume all responsibility for the safety, protection and accounting of all material and equipment and the work during construction. All materials used by the Contractor shall be of the best quality conforming to the required specification mentioned in the tender document and will be subject to the approval of the Employer. All such materials not approved by the Employer shall be removed at once by the Contractor at his own expense. The Contractor shall also at his own expense arrange for carrying out any test of materials which the Employer may from time to time require or if so desired by the employer.

5) **Defective Work / Materials**:

If any part of the work done by the Contractor is found defective in workmanship or if bad or inferior materials have been used the Contractor shall at his own risk and cost demolish all such defective work and rebuild the same and / or replace the bad or inferior materials used within a time frame mentioned to the satisfaction of the Employer. The decision of the Employer in this regard shall be final and binding on the Contractor. In case of default of the contractor to remove the defective work and rebuild the same or replace bad or inferior materials as directed by the Employer, the Employer shall be entitled to employ anyone else to carry out the same at risk and cost of the Contractor and recover all expenses incurred in this regard from the contractor.

6) **Inspection of Work**:

During progress of the work the Employer shall be entitled at all times to have access to and inspect the work.

7) **Supervision**:

The Contractor shall provide one or more competent and technical qualified engineers duly and fully authorized to act on his behalf in all matters relating to the works to be carried out under or any other matter concerning this agreement and who shall at all times be present at the works while any work is in progress as per directions, explanations & instructions of Employer.

8) Compliance with Statutory Regulations & Work Rules:

The Contractor shall be responsible for complying with the applicable laws / bye laws / Regulations in force from time to time and shall have to bear all statuary liabilities to the workers / personnel engaged for the job. Nothing will be paid extra in this regard. If any amount is paid by the Employer with this regard the same amount shall be deducted from the Contractor's dues. The Contractor shall have to arrange insurance cover for the workers / personnel engaged by him for the job.



9) **Determination of Contract**:

In the event of Contractor failing to keep / adhere to agreed schedule of work, or in the event of the Contractor failing to comply with the provisions of this contract by default and / or negligence and / or suspension of work or in the event of Contractor failing to complete the work within the stipulated period, the Employer may terminate this Agreement forthwith and employ, at the Contractor's risk and cost, another contractor or sufficient number of workmen to complete the work.

10) Force Majeure:

This clause will be operative only if the work is delayed by

- a) Acts of God
- b) Earthquake or floods or similar natural calamities.
- c) Serious loss or damage by fire or lightning.

In case any Force Majeure condition herein mentioned occurs and continues for a period exceeding 15 days the parties hereto undertake to sit together and devise ways for expeditious and proper performance of the obligations of the parties under this order.

11) **Arbitration**:

Witness Address

"In the event of any dispute or difference relating to interpretation and application of provisions of the contract and all disputes/ claims whatsoever which shall either during the continuance of the contract or afterwards either between the parties to the contract or the respective representatives touching the construction/ application of any provision/ clause mentioned in the contract or any account or liability between the parties to the contract or as to any act or deed or omission of any party to the contract, in any way relating to these presents, shall be first at the discretion of the Bank attempted to be resolved in good faith by mutual discussion within 30 days of the dispute or question being raised failing which the same shall be settled by arbitration in accordance with provisions of Indian arbitration and Conciliation act 1996.

The Parties concerned shall designate an arbitrator on mutual consent/ consensus. The venue of the arbitration shall be exclusively at SILIGURI and any award passed by arbitrator shall be final, conclusive and binding upon the parties and shall be deemed to have been made between parties themselves. The parties to the dispute shall share equally the cost of arbitration as intimated by the arbitrator".

IN WITNESS whereof the said contracting parties have set hereinabove witness.	their hands and seals on the day and year first
Witness Address	Employer

Contractor



LIST OF APPROVED MATERIALS FOR FURNISHING WORK AT INDIAN BANK, KALIMPONG BRANCH

SL NO	ITEM	APPROVED MAKE/ MODEL
1	False Ceiling	INDIA GYPSUM CEILING, SAINT GOBAIN, LAFARGE
2	Inter mediate Channel/Ceiling Section	GYPSTEEL, DIAMOND FRAME
3	Wood Frame Work/ Wood Section All wood must be well seasoned, free from knots, other defects, decay and defects due to handling and transportation. Wherever necessary, provide with anti – termite Treatment.	2 ND CLASS TEAK WOOD
4	Wood Skirting / Moulding/ Lipping/ Bidding / Door frame	WHITE BEACH / WHITE CEADER
5	Modular furniture	GODREJ/DECOR X/SPACE WOOD/METHODEX
6	Modular Toilet	MARINO, GREEN
7	Fire Reterdent Paint	INDUSTRIAL GRADE OF NOBLE / VIPER
8	Plywood/ Block board (BWR GRADE)	CENTURY/SHATABDI/GREEN PANEL/GREEN PLY
9	Flush Door	CENTURY/SHATABDI / GREEN PANEL/GREEN PLY
10	Laminate (1.0mm thk.)	ADVANCE LAM/MERINO, GREEN LAM/CENTURY
11	Door Closure	GODREJ/ ARCHI (HEAVY DUTY)/DORMA
12	Floor Spring:	GODREJ/ ARCHI (HEAVY DUTY)/DORMA
13	Floor Spring:	GODREJ/ ARCHI (HEAVY DUTY)/DORMA
14	Door Lock/ Door Handles	GODREJ CYLINDRICAL / HAFELE/ HETTICH /DORSET
15	Drawer/ Storage Handle	NEKI / HASSLEY
16	Drawer/ Storage Lock	EBCO / HAFEL / HETTICH DOOSET/GODREJ
17	Screws	GKW / NETTLE FOLD / APPROVED EQUIVALENT
18	Hinges	DORSET/GORG/EBCO
19	Sliding Drawer Chanels	EARL BEHARI / CIEF
20	Adhesive	FEVICOL SH / FEVIMATE TL/ARALDITE
21	Soft board	JOLLY BOARD / APPROVED EQUIVALENT
22	Vertical Blinds	MAC / ANNUMS / WINDOW FASHION/VISTA
23	PVC Flooring	KRISHNA VINYL / ARMSTRONG /LG
24	Glass	MODIGUARD / SAINT GOBAIN
25	Ceramic Tiles	KAJARIA/JHONSON
26	Vitrified Tiles	KAJARIA/ASIAN/JHONSON
27	Tiles Chemical	BAL-ENDURA / LATTICRETE
28	European WC / Wash Basin	PARRYWARE / HINDWARE/JAGUAR
29	Sanitary Fittings	JAQUAR / ESSCO/HINDWARE
30	G.I Pipe (For Plumbing)	TATA / JINDAL / BANSAL
31	P.V.C Pipe (For Plumbing	SUPREME / ORIPLAST/FINOLEX
32	Readymade Keyboard / CPU Trolley (metal)	BECO / DORTEL ASIAN PAINTS (AS PER BANK APPROVED
33	Paints (Enamel / Acrylic Emulsion)	COLOR)/BERGER
34	Mirror	MODIGUARD / SAINT GOBAIN
35	Wood Preservatives	STP PENTAPHENE PALE / CHLORIPHYROPHOSH
36	All other items not covered above	AS PER SAMPLE APPROVED BY EMPLOYER /CONSULTANT.

Note -

- 1. Materials mentioned in the specification shall be used for the work. If specified material is not available prior approval of the Employer shall be taken to use other brands.
- 2. Preference of makes, supply of items should be consulted with client/consultant before effecting of supply.

NAME AND ADDRESS OF THE CONTRACTOR:

•		•	CFAI	OF THE	CONTR	ACTOR.
3	IGN	Δ.	SEAL	OFIRE	CONIK	ACTOR:

Date:

Place:



BUDGETARY ESTIMATION OF INTERIOR JOB FO	R KALIM	PONG BR	ANCH	
DESCRIPTION	QTY	UNIT	RATE	AMOUNT
INTERIOR FURNISHING :-				
POP & FALSE CEILING WORKS				
False Ceiling				
Gypsum board Ceiling -12.5mm th. single layer gypsum board fixed on suspended main G.I.channels60 mmx36 mm and secondary grid made of45 mmX18 mm all as per manufacturers' specifications, including jointing, finishing with gypsum compound, jointing tape and top coat. The surface shall be duly sanded and finished. Rate shall include making all the necessary cutouts for lights, grills,diffusers etc. The rate shall also include providing perimeter channel for grills, lights, diffusers as called for in HVAC and Electrical Drawings. The rate shall also include providing for edge/ angle bits at all corners,drop, necessary taping, filling with jointing compound as per manufacturers specifications. The rate shall be exclusive of trap door which shall be paid for separately. Cost to be quoted Including painting.	680.00	Sq.ft		
GRID CEILING	460.00	Sq.ft		
CARPENTRY AND INTERIOR WORKS				
PARTITION WORKS				
SOLID PARTITIONS (upto8'6"-9'0")				
SOLID PARTITION - LAMINATED: Providing and fixing of full height solid partition made of salwood framework of size50mm x50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR/BWP Ply make and finished with1.0mm thk laminate of approved shade on both sides.3" wide skirting to be shown in the laminate by way of1 mm wide groove.	442.00	Sq.ft		
SOLID PARTITION - LAMINATED/PAINTED: Same as item1.a -(i) above but partition framework to be covered with one side plywood of (6mm thk) BWR/BWP PLY finished with1.0mm thick laminate on one side and other side with3 coats of luster paint of approved shade.3" wide plywood skirting finished with laminate to be provided on the side of partition. Wooden framework of size50mm x50mm fixed @450mm c/c bothways	120.00	Sq.ft		
CLAZED PARTITIONS				
FULLY /SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using the wooden frame work and ply comprising of A) The glazed portion out of 10mm thk glass fixed with internal framing and beading as per design. B) (6mm thk) BWR Grade ply of on both sides of frame + Laminate as per drawings.Glass of asahi/saint gobin / modi gaurd make. Wooden framework of size50mm x50mm fixed @450mm c/c	175.00	Sq.ft		
	INTERIOR FURNISHING:- POP & FALSE CEILING WORKS False Ceiling Gypsum board Ceiling -12.5mm th. single layer gypsum board fixed on suspended main G.I.channels60 mmx36 mm and secondary grid made of45 mmX18 mm all as per manufacturers' specifications, including jointing, finishing with gypsum compound, jointing tape and top coat. The surface shall be duly sanded and finished. Rate shall include making all the necessary cutouts for lights, grills, diffusers etc. The rate shall also include providing perimeter channel for grills, lights, diffusers as called for in HVAC and Electrical Drawings. The rate shall also include providing for edge/ angle bits at all corners, drop, necessary taping, filling with jointing compound as per manufacturers specifications. The rate shall be exclusive of trap door which shall be paid for separately. Cost to be quoted Including painting. GRID CEILING CARPENTRY AND INTERIOR WORKS PARTITION WORKS SOLID PARTITION - LAMINATED: Providing and fixing of full height solid partition made of salwood framework of size50mm x50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR/BWP Ply make and finished with1.0mm thk laminate of approved shade on both sides.3" wide skirting to be shown in the laminate by way of1mm wide groove. SOLID PARTITION - LAMINATED/PAINTED: Same as item1.a -(i) above but partition framework to be covered with one side plywood of (6mm thk) BWR/BWP PLY finished with1.0mm thick laminate on one side and other side with3 coats of luster paint of approved shade.3" wide plywood skirting finished with laminate to be provided on the side of partition. Wooden framework of size50mm x50mm fixed @450mm c/c bothways GLAZED PARTITIONS FULLY /SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using the wooden frame work and ply comprising of A) The glazed portion out of10mm thk glass fixed with internal framing and beading as per design. B) (6mm thk) BWR Grade ply of on both sides of frame + Laminate as per drawings.Glass of asahi/saint gobin / modi g	INTERIOR FURNISHING: POP & FALSE CEILING WORKS False Ceiling Gypsum board Ceiling -12.5mm th. single layer gypsum board fixed on suspended main G.Lchannels60 mmx36 mm and secondary grid made of45 mmX18 mm all as per manufacturers' specifications, including jointing, finishing with gypsum compound, jointing tape and top coat. The surface shall be duly sanded and finished. Rate shall include making all the necessary cutouts for lights, grills,diffusers etc. The rate shall also include providing perimeter channel for grills, lights, diffusers as called for in HVAC and Electrical Drawings. The rate shall also include providing for edge/ angle bits at all corners,drop, necessary taping, filling with jointing compound as per manufacturers specifications. The rate shall be exclusive of trap door which shall be paid for separately. Cost to be quoted Including painting. GRID CEILING CARPENTRY AND INTERIOR WORKS PARTITION WORKS SOLID PARTITION - LAMINATED: Providing and fixing of full height solid partition made of salwood framework of size50mm x50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR/BWP Ply make and finished with1.0mm thk laminate by way oflmm wide groove. SOLID PARTITION - LAMINATED/PAINTED: Same as item1.a -(i) above but partition framework to be covered with one side plywood of (6mm thk) BWR/BWP PLY finished with1.0mm thick laminate on one side and other side with3 coats of luster paint of approved shade.3" wide plywood skirting finished with laminate to be provided on the side of partition. Wooden framework of size50mm x50mm fixed @450mm c/c bothways GLAZED PARTITIONS FULLY /SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using the wooden frame work and ply comprising of A) The glazed portion out of10mm thk glass fixed with internal framing and beading as per design. B) (6mm thk) BWR Grade ply of on both sides of frame + Laminate as per drawings. Glass of asahi/saint gobin / modi gaurd make. Wooden framework of size50mm x50mm fixed @450mm c/c	INTERIOR FURNISHING:- POP & FALSE CEILING WORKS False Ceiling Gypum board Ceiling -12.5mm th. single layer gypsum board fixed on suspended main G.I.channels60 mmx36 mm and secondary grid made of45 mmX18 mm all as per manufacturers' specifications, including jointing, finishing with gypsum compound, jointing tape and top coat. The surface shall be duly sanded and finished. Rate shall include making all the necessary cutouts for lights, grills, diffusers etc. The rate shall also include providing perimeter channel for grills, lights, diffusers as called for in HVAC and Electrical Drawings. The rate shall also include providing for edge/ angle bits at all corners,drop, necessary taping, filling with jointing compound as per manufacturers specifications. The rate shall be exclusive of trap door which shall be paid for separately. Cost to be quoted Including painting. GRID CEILING CARPENTRY AND INTERIOR WORKS SOLID PARTITION - LAMINATED: Providing and fixing of full height solid partition made of salwood framework of size50mm x50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR/BWP Ply make and finished with.lomm thk laminate by way off mm wide groove. SOLID PARTITION - LAMINATED: Providing and fixing to be shown in the laminate by way off mm wide groove. SOLID PARTITION - LAMINATED/PAINTED: Same as item1.a -(i) above but partition framework to be covered with one side plywood of (6mm thk) BWR/BWP PLY finished withl.lomm thick laminate on one side and other side with3 coats of luster paint of approved shade.3" wide plywood skirting finished with laminate to be provided on the side of partition. Wooden framework of size50mm x50mm fixed @450mm c/c bothways GLAZED PARTITIONS FULLY SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using the wooden frame work and ply comprising of A) The glazed portion out of10mm thk glass fixed with internal framing and beading as per design. B) (6mm thk) BWR Grade ply of on both sides of frame + Laminate as per drawings.Glass of asahi/saint gobi	DESCRIPTION OTY UNIT RATE INTERIOR FURNISHING:- POP & FALSE CEILING WORKS False Ceiling Gypum board Ceiling -12.5mm th, single layer gypsum board fixed on suspended main G.Lchannels60 mmx36 mm and secondary grid made of45 mmx18 mm all as per manufacturers' specifications, including jointing, finishing with gypsum compound, jointing tape and top coat. The surface shall be duly sanded and finished, Rate shall include making all the necessary cutouts for lights, grills, diffusers etc. The rate shall also include providing perimeter channel for grills, lights, diffusers as called for in HVAC and Electrical Drawings. The rate shall also include providing for edge/ angle bits at all corners, on ecessary taping, filling with jointing compound as per manufacturers specifications. The rate shall be exclusive of trap door which shall be paid for separately. Cost to be quoted Including painting. GRID CEILING CARPENTRY AND INTERIOR WORKS SOLID PARTITION (upto8'6"-9'0") SOLID PARTITION - LAMINATED. Providing and fixing of full height solid partition made of salwood framework of size50mm x50mm fixed @450mm c/c bothways and covered with (6mm thk) BWR/BWP Ply make and finished withl.0mm tkl laminate of approved shade.3" wide plymood skirting to be shown in the laminate by way ofl mm wide groove. SOLID PARTITION - LAMINATED/PAINTED: Same as item1a(i) above but partition framework to be covered with consider plymood of form thk) BWR/BWP PlY finished with laminate to be provided on the side of partition. Wooden framework of size50mm x50mm fixed @450mm c/c bothways GLAZED PARTITIONS FULLY /SEMI GLAZED PARTITIONS: Providing & fixing of fully glazed partitions by using the wooden frame work and ply comprising of A) The glazed portion out of 10mm thk glass fixed with internal framing and beading as per design. B) (6mm thk) BWR Grade ply of on both sides of frame + Laminate as per drawings.Glass of asahi/saint gobin / modi gaurd make.



ii	MAIN FIXED GLAZING: P/F of full height glazed partition			
	for front glazing at Main Entrance made with 12mm Toughen Glass with white paint design with necessary additional supports as directed. Fitting should be with "patch fitting".	44.00	Sq.ft	
iii	SEMI-GLAZED PARTITIONS: Providing & fixing of semi glazed partitions upto7'-0" ht .the partitions is made by using the Wooden frame work and ply comprising of A) (9mm thk) BWR Grade Marine ply of (Alishan/Greenply or Century Ply make)on both sides of partition as per drawings. Wooden framework of size50mm x50mm fixed @450mm c/c bothways. B)The glazed portion out of10mm thk glass fixed with internal framing and beading as per design Glass of asahi/saint gobin / modi gaurd make.	223.00	Sq.ft	
iv	SEMI-GLAZED LOW HEIGHT PARTITIONS: Providing & fixing of semi glazed partitions upto4" ht & glass to be fixed above or cover with SS round pipe. The partitions is made by using the Wooden frame work and ply comprising of A) (9mm thk) BWR Grade Marine ply of (Alishan/Greenply or Century Ply make) on both sides of partition + Laminate upto3'-0" ht as per drawings. Wooden framework of size50mm x50mm fixed @450mm c/c bothways. B) The glazed portion out of10mm thk glass fixed with internal framing and beading as per design Glass of asahi/saint gobin / modi gaurd make.	30.00	Sq.ft	
c	LOW HEIGHT SEMI SOLID PARTITIONS			
i	Same as item1.b-(i) above but low height solid partition to have12mm thick clear float glass of300mm high fixed by way of wooden beedings . The glass edges to be machine polished and rounded at the corner. Wooden framework of size50mm x50mm fixed @450mm c/c bothways	40.00	Sq.ft	
2	PANELLING WORKS			
a	ONLY PANELLING WITHOUT FRAME: P/f paneling without wooden framework but9mm thick plywood BWR Grade Marine ply of (Alishan/Greenply or Century Ply fixed on leveled wall and finished with1.00mm thk. laminate of approved make and shade,on all exposed surfaces on all exposed surfaces as per details and design.	200.00	Sq.ft	
b	PANELLING: P/F paneling with wooden framework of size50mm x50mm with450mm c/c made out of salwood treated with antitermite solution.9mm thick plywood BWR Grade Marine ply of (Alishan/Greenply or Century Ply fixed on frame and finished with1.00mm thk laminate having3" wide skirting with1mm thk groove between skirting and partition and1mm groove between vertical laminates as per design.	120.00	Sq.ft	
3	DOORS			
i	P/f main entrance single leaf glass door for BRANCH/ATM ENTRY with12mm thick Toughened glass. The beading to be polished matching the laminate shade. Rate to include cost of heavy duty floor spring (Everite / Hemco / Haldin / Hyper or equivalent of capacity120 kg), SS handle of size450mm, ball bearing hinges, mortise concealed dead lock, door stopper and all required hardware complete as directed.	2.00	Nos.	



ii	P/f Double Swing Branch Entrance Door & ATM fully glazed of overall size of3"'-0" x7'-0" of10thk toughened glass and vinyl film on it. Door to be fixed on floor spring.				
iii	Same as item no.4(i) above but four side frame work made of Aluminium Anodised Sections of 18 gauge of approved shade and colour and 10mm thk toughened glass embedded in it.				
iv	Same as item no.4(i) above but size of the door shall be825mm x2100mm FRAMELESSS AND TOUGHENED				
V	Glass Door - BM Cabin				
	P/f Two side frame Cabin door fixed on floor spring finished in laminate from both sides with10mm thk glass and frosted film on it. Door size900mm x2100mm	2.00	Nos.		
vi	P/f. Solid wicket gate door of size900mm x900mm made of38mm thick flush door and mounted on heavy duty hinges for teller counter area.				
iv	Solid doors (with or without vision panel) For UPS, Service Area, Store ,Pantry & Toilet Entrance Door				
	Providing & fixing Solid Flush Door of 38mm thickness in laminate finish on both sides With Vision Panel of size 300mm x300mm made of 6mm thk glass. Door to be mounted on hinges and to be provided including Handles & necessary hardware fittings. the sizes of the doors to be considered as under:				
	i. IT Room Door :975mm x2100mm	1.00	Nos.		
	ii. Service Area door :900mm x2100mm	1.00	Nos.		
	iii. Store Room Door :900mm x2100mm	1.00	Nos.		
	iv. Pantry Door :825mm x2100mm	-	Nos.		
	v. Toilet entry Door :825mm x2100mm	2.00	Nos.		
	vi. CRM Entry Door :975mm x2100mm	-	Nos.		
	vii. Conference hall entry door:975mmx2100mm	-	Nos.		
	viii. cash entry door:	3.00	Nos.		
4	DOOR FRAMES				
i	Providing and fixing including necessary civil work door frames made out of CP teak wood section of size100mm x75mm including providing3 nos. Alishan hold fasts, applying black jaipan paint on the surface of the frame touching the edge of the wall. The frames to be finished with1.0 mm thick laminate of approved shade.				
	i. Toilet door frame: as per door size				
	iii. Pantry door: as per door size mentioned in item no.4(iv-iv) above				
				+	
ii	Providing and fixing architraves made out of rubber wood sections over door frames and finished with approved shade of melamine polish.	-	Nos.		
ii	sections over door frames and finished with approved shade of	-	Nos.		



5	STORAGE CABINETS			
i	Storage Full ht.			
	1'6" deep x7'0" ht.			
	Carcass and shelves out of 3/4" and 1/4" thk. Marine ply of BWR Grade (Alishan/Greenply or Century Ply make)			
	Hardware - S.S. hinges, stoppers, 'Vijayan' locks, S.S. handles			
	Shutter (19 mm thk.) semi solid core faced with approved laminate (1.0 mm) on the exterior and back of shutter & Internal faces all finished with enamel paint of Asian make.	120.00	Sq.ft	
ii	Storage Half ht.			
	Size -1'4" deep x2'6" ht.			
	Carcass and shelves out of 3/4" and 1/4" thk. Marine ply of BWR Grade (Alishan/Greenply or Century Ply make)			
	Shutter (19 mm thk.) semi solid core faced with approved laminate (1.0 mm thk.) on the exterior and back of shutter and finished with enamel paint internally			
	Hardware -S.S. hinges, stoppers, 'Vijayan' locks, S.S. handles	56.00	Sq.ft	
	TOTAL OF INTERIOR FURNISHING			_

B.						
	BRANCH (ATM & BRANCH)					
S.NO.		QTY.	UNIT	RATE	AMOUNT	
1	COUNTERS AND DESKS					
	(COUNTERS) Providing and Fixing COMPUTER COUNTERS made out of19 mm thick bwp grade board of approved brands as listed in the specifications, and as per the attached drawing, all complete with1.0 mm thick laminate on all visible surface, tabletops, customer top, etc, and all drawers etc. to be painted with1 coat of primer and2 coats of1st quality enamel paint). 12 mm thick glass, MODIGUARD / AIS, branded, to be used on top of the COMPUTER COUNTER. Keyboard Tray to be provided on Special Keyboard Slides, and wristrest to be given. Drawer Slides to be used for all drawers. All locks to be of Godrej. All drawers, cabinets, Keyboard, etc. to be lockable. Footrest to be provided. The Front of the Computer Counter shall have decorative finishing in ply and laminate as shown in the drawing attached. 12mm thick glass as a screen shall be provided in front, with a3" gap from the counter top. Height of Glass:12". Glass to be inserted in polished teakwood members, size2" x2", appropriately finished. 3" high skirting box with walnut wood skirting, melamine polish finished					



i	BM workstations in laminate finish with side storage and back storage (size of storage7'-0" X2'-6" in height or as per the drawing) CRM Table size7'x3' Or as per availability of space. The table shall be postformed	1.00	Nos.	
iii	Runing table for IT department	5.00	Rft	
iii	P/f Officers / Assistant Manager interactive workstations in laminate finish of Table size as per the Drawings. Table shall be postformed	1.00	Nos.	
iv	Senior officer table with interactive workstations in laminate finish. as per the drawings	1.00	Nos.	
v	Runing table for staff & daftari	6.00	Rft	
vi	Corner Side Table			
	Size: dia1'6"	2.00	Nos	
vii	CASH COUNTER			
	Providing and fixing top, front & side of cash counter made out of 18 mm BWP and termite proof blockboard as per design cladded with 1.0 mm thk. Laminated on side and front & the edges to be finished with necessary white beach or white ceader lippings, mouldings, etc. Special 6" drawer to be made for the cash with dividers of 12 mm plywood. the front of the drawer made out of 18 mm blockboard finished with 1.0 mm laminate, sides 12 mm th. plywood and bottom to be made of 6 mm plywood. the inside and sides of the drawer to be duly polished. The drawers and shutters to be provided with necessary drawer sliding channels, hinges, locks etc. A leg rest to be provided made out of 18 mm thk. blockboard duly polished. Inside of the unit to be polished in the matching tone. All visible areas to be covered with beach or ceader lippings, mouldings with reddish brown colour polish. Wire manager, CPU trolley, keyboard tray to be provided.4" ht. laminated skirting to be provided in all visible area and 12 mm thk. x18" wide Plain Glass to be provided at counter top customer face horizontally at 3'-9" lvl. The work should be completed as per specification. Cash counter5 rft Open counter12 rft (spec. same as above).	2.00	Nos	
2	Supply,laying, connection &testing of light, fan point, wiring by2x1.5mmsq(2x3/.029) +1x1mmsq PVC insulated copper flexiable wire maintaing the colour code as per direction in PVC conduite of20mm with ISI mark1.5mm thickness to conceal in wall partition mending good the damage, complete with PVC circular box, bend to be done as per drawaing including3 point ceiling rows wherever required GI saddle to be used for fixing, metal flexiable/PVC flexiable pipe may use if required in partition wall. All PVC pipes should be with ISI mark. No joints will be allowed inside pipe, light, fan & plug point complete with modular type switch plate & MS box.			
a)	Lighting point complete with modular type switch, plate, M.S. conceal box.			
	Point -1 Light point control by01 switch.	14	Nos	
		14 16	Nos Nos	
	Point -1 Light point control by01 switch. Point -2 Light point control by01 switch. Point -3 Light point control by01 switch.			



b)	Exhust fan point same as item No.1acomplete with modualr type switch plate &MS conceal box &3 pin ceiling rose.	3	Nos	
c)	Wall bracket fan point as above complete with modular type switch, plate & M.S. conceal box. Including one2pin plug socket, front plate & conceal box at fan end.	8	Nos	
d)	48" dia ceiling fan point as above complete with modular type switch,plate & M.S. conceal box. Including one2pin plug socket,front plate & conceal box at fan end.	2	Nos	
e)	Call bell point same as as bove complete with modular type push switch,plate & M.S. conceal box with buzzer type bell.	1	No.	
	O I I I O O O O O O O O O O O O O O O O			
2	Supply Laying of Circuit line2x2.5mmsq +1x1mmsq PVC insulated copper wire form MCB DB(LDB) to lighting SB & Raw power plug point (6Amps)rest are same as item no.1.3 light board or6 amps plug connected from one circuite.	262	Mts	
a)	Supply Fixing & connection of modular type6 amps Plug switch complete with Ms box Socket to fixed above table.03 nos plug can be connected from01 circuite	10	No.	
b)	Same as above but16 Amps6pin socket with16amps switch for raw power point. (01 Nos plug connected from one circuite.)	8	No.	
SL.	PARTICULAR			
SL. 3	PARTICULAR SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS:			
	SUPPLY FIXING & CONNECTION LIGHT FITTINGS /	14	Nos.	
3	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE	14	Nos.	
3	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE	14	Nos.	
3 A	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith			
3 A	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith			
3 A B	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith truelite with both end cap white Recess mounted18 watt LED PHILIPS/ HAVELS MAKE	4	Nos.	
3 A B	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith truelite with both end cap white Recess mounted18 watt LED PHILIPS/ HAVELS MAKE	4	Nos.	
A B	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith truelite with both end cap white Recess mounted18 watt LED PHILIPS/ HAVELS MAKE down lighter. 225 mm dia heavey duty Exhust fan230 volt A.C. (EPC /	26	Nos.	
A B	SUPPLY FIXING & CONNECTION LIGHT FITTINGS / FANS: Recess mounted 40 watt LED PHILIPS/ HAVELS MAKE FITTING2'-0"X2'-0" PHILIPS/ HAVELS make1x40 watt Tubelight fittingswith truelite with both end cap white Recess mounted18 watt LED PHILIPS/ HAVELS MAKE down lighter. 225 mm dia heavey duty Exhust fan230 volt A.C. (EPC /	26	Nos.	



G	PHILIPS/ HAVELS make2x40 watt TL fittingswith truelite with both INDUSTRIAL TYPE FIXED DIRECT ON TRUE CEILING.	0	Nos		
Н	PHILIPS/ HAVELS make1x40 watt2' lenthTubelight fittingswith truelite with both end cap white	2	Nos.		
	numgowiai trachic wim com ena cap winte				
4	UPS WIRING:				
a)	Supply fixing & connection of UPS circuite line with2x2.5+1x1.5mmsq through regid PVC conduite20mmdia1.6 mm wall tickness, with ISI mark, to lay from UPS MCB DB to plug point board.rest same as item no.1 Two nos point to be connected from One circuite.	222	Mts		
b)	Supply fixing & connection of UPS circuite line with16 sqmm (approved make) wire to be connected from main to UPS for use UPS charging purpose only. Connection must through with MCB.	24	Mts		
c)	Suppy fixing of2x6Amps5 pin socket +1x16 Amps6 pin socket in single board (under table) +1x16 A switch in another board above table as per direction.	10	Set		
d)	Same as above but3x6/16,6pin socket with switch to provide near HUB rack, are to be connected from UPS power.	2	Set		
e)	Supply laying & connection of UPS incomming power linewith2x6mmsq +1x2.5 PVC insulated copper wire rest same as item no item no.1 from PDB to UPS incomming power switch.including1 nos outgoing line.	118	mtr		
	8 8 8				
f)	Supply installation of UPS incomming63Amps DP MCB with orginal housing of Legrand make.	4	no		
g)	Supply installation and termination of UPS outgoing power distribution system with10+2Way SPN DB comprising8x10Amps SP MCB &40 Amps DP MCB as main	4	no		
		<u>L</u>		<u>L</u>	
5	LAYING OF CABLE:				
a)	Supply laying fixing main power with50 mm sq3.5 core PVC insulated,PVC sheated Alu.Conductor,1100 v. grade armoured cable complete with02 nos8 SWG bear GI.wire as running earth.	20	Mts.		
,					
b)	End termination of 50 mmsq3.5 Core armoured cable, complete with brass cable gland, Alu. Lug, PVC tape.	2	End		
·					
		1	1	1	1



				T
6	MAIN ELECTRICAL Cubical type panal.			
6.A	MAIN VTPN DB			
	Supplying, installing, testing & commissioning of 24 Slots, Vertical busbar, MCB type Power Distribution Board (MAIN VTPN DB), flush mounted on wall, sheet metal fabricated, powder coated, having dust-proof and vermin proof, and			
	hinged door with all internals such as DIN rails, neutral-link, interconnected wiring complete with earthing lugs housing following switchgears.			
	1 no.,125A,4P MCCB as incomer			
	4 no.,63/40A, TP MCB			
	8 no.,40/32/25 A SP MCB			
	6 nos,20/16A, SP, MCB outgoing	1.00	SET	
i	125 amps4P CHANGE OVERSWITCH ON LOAD TYPE in sheet steel enclosure complete with all mounting accessories before lighting DB with necessary cable jointing adaptor box	2.00	No	
ii	32/25A roll socket complete with 32/25/16/10 amps DPMCB with 3 pin metal clad socket - waterproof tight (IP65) for wall unit split AC machine	-	Nos	
iii	40A/32A DP MCB in sheet steel enclosure complete with all mounting accessories for UPS & others	3.00	Nos	
	Providing and Supplying40 A TP MCB as a master Switch to switch off all the LDB Loads,located at the Entrance of the Branch.	2.00	Nos.	
7.B	DISTRIBUTION BOARDS			
7.0	Supply, installation, testing & commissioning of Distribution			
	Boards surface / flush mounted with Double door containing MCB/ELMCB as incomer and SPMCB as outgoing. All MCBs are of 10KA breaking capacity and ELMCBs/RCCB should be of 30mA/100 MA sensivity. The DB shall have appropriate no. of top and bottom knock outs for outgoing circuits and shall be complete with necessary busbars, interconnection terminals and earth studs. All terminations in DB shall be complete with ferulling, dressing and all circuits shall be properly labeled with PVC strip (sticker type) having identification as per the final approval of Consultant. For UPS DB MCB shall be 'D' type and other MCBs shall be 'C' category for lighting and raw power DB			
i	Lighting & power Distribution Board -	1.00	No	
	12 way TPN DB			
	Incomer40A4P MCB C TYPE+elcb30mA			
	Outgoings :6/10 SP MCB, 'C' Type -36 Nos			
ii	Power Distribution Board (ATM ROOM)	1.00	No	
	4 way TPN DB			
	Incomer:40A4PMCB+ ELCB100 ma			
	Outgoings :32 A SP MCB -2 Nos ;16/20 SP MCB, 'C' Type -4 Nos			



:::	LIDC Desires Distribution Desired (EOD2LVVA LIDC)	1.00		
iii	UPS Power Distribution Board -(FOR3KVA UPS)	1.00	No	
	12 way SPN DB			
	Incomer:40A DP MCB, 'D' Type			
	Outgoings :16/10 SP MCB, 'D' Type –10Nos			
iv	UPS Power Distribution Board - UPS DB-2KVA-ATM)	1.00	No	
	6 way SPN DB			
	Incomer20A DP MCB, 'D' Type			
	Outgoings :16/20 SP MCB, 'D' Type -4 Nos			
7	EARTHING STATION:			
a)	Earthing installation as per I.E. rule conforming to IS3043-1987 or its latest amendent by making earth station with600x600x3mm(mini- mun) thick copper plate electrode to be installed such that is top edge shall be at a minimum depth of3.3mts below ground level after preparation of ground with charcoal, sand ,& salt, connecting the25x3mm thick copper lead in strip (upto10 mts length) by bolting and brazing to the copper plate complete with Brass bolt of suitable length double nuts & washer including supply & fixing of50mm dia2.3Mts long partly perforated G.I. Pipe with funnel for watering arragment. N.B:- The Copper plate to be buried under3.3Mts depth from ground level, including C.I. Pit300x300mm with	2	Set	
	necessary brick			
b)	Wall (For UPS earthing).			
	SpikeEarthing with G.I. Electode3mts. Longx50 mm dia (Class - B) including accessories and providing masonary enclosure with cover300x300mm plate having locking arrangement and watering funnel Etc. with charcoal, sand & salt at alternate layer as required for electrical panal earthing.	2	No.	
c)	(For main electrical panel earthing.)	42	Mts	
<u> </u>	(1 of main electrical panel earthing.)			
d)	Supply laying1x8SWG copper bear wire from earth spike to main panal.(Electrolite wire) Do but with1x16mmsq insulated copper wire from earth spike to UPS earth bus bar through PVC regid 20mmdia ISI mark.	52	Mts	
8	A/C. electrification :-			
a)	Supply laying & connection of A/C. line for 1.5 /1TR A/C. window / splite with 2x4 +1x2.5 mmsq through Regid PVC conduite rest same item no 1.	82	Mts	
b)	S/Fixing AC Box as per company specification with25 Amp SPMCB with25AMP Socket	5	Nos	
9	Out door type glow sign board wiring :-			
a)	Supply laying of main line with2x2.5 +1x1.5 mmsq through MS conduite from main panal to glow sign board.	15	Mts	
b)	Supply installation of 16 amps DP MCB at main entrance Glow sign board WITH TIMMER MDS MAKE	1	Set	



10	Supply fixing of 100 Amps TPN HRC type SFU at SEB for main incomming on MS angle. frame &02 nos Cable end box including connection.	1	No.	
11	Gen set wiring :-			
a)	Supply laying fixing main power with 3.5 core 50 Sq.mm PVC insulated, PVC sheathed Alu. Conductor, 1100 v. grade armoured cable complete with 02 nos 8 SWG bear GI. wire as running earth.	15	Mts	
b)	End termination of 3.5 core50 Sq.mm armoured cable, complete with brass cable gland, Alu. Lug, PVC tape.	8	End	
12	LAN WORK			
D	Data /Voice Network System			
1	Supply & Installation of cat -6 Data Cable	525.00	Mtr	
2	RJ -45 Data Socket With Plate	5.00	Nos	
3	RJ -11 Voice Socket	5.00	Nos	
4	Supply & Installation of Voice Cable -4 pair Telephone Cable un armoured PVC Sheated .	380.00	Mtr	
5	10 Pair Tag Block Crome type on MS box	2.00	Nos	
6	P/F9U Rack	1.00	Nos	
7	EPABX Box		Nos	
8	Patch code-3 Meter	11.00	Nos	
9	Patch code-1.5 Meter(inside rack to connect router to patch panel)	11.00	Nos	
10	24 Port Switch	1.00	Nos	
11	24 Port Jack Panel	1.00	Nos	
	TOTAL OF FURNITURE & ELECTRIC WORK			_


C	MISCELLANEOUS WORK :			
i	Cheque Deposit Box / Suggestion box	2.00	Nos.	
ii	Brochure racks (2'0" x16") with acrylic box for brochures.	2.00	Nos.	
iii	WRITING LEDGE	2.00	Nos.	
	Finish. (size –5" x5" x5"0" MIN.)			
i	Roller Blinds	55.00	Sq.ft	
ii	Notice Board/ Soft Board/Pinup Board	30.00	Sq.ft	
iii	Sand witch poster frames of size2'0"X3'0"	-	Nos	
iv	CPU Trolley	10.00	Nos	
	TOTAL OF MISCELLANEOUS WORK			



SUMMARY OF INTERIOR WORK, FURNISHING & ELECTRICAL WORK AND MISCELLANEOUS WORK AMOUNT (In Rs) B FURNITURE & ELECTRICAL WORK C MISCELLANEOUS WORK GRAND TOTAL



INTERIOR FURNISHING LAYOUT FOR KALIMPONG BRANCH (BRANCH)




FURNITURE LAYOUT
FOR INDIAN BANK

SHEET TITLE
PROPOSED FURNITURE LAYOUT PLAN

Burman ET.AL
Architecture .Interior .Engineering.
QAQC
164-B, Rash Behari Avenue, kolkata-700029.



INTERIOR FURNISHING LAYOUT FOR KALIMPONG BRANCH (ATM)



ATM FOR KALIMPONG

