

#### **INDIAN BANK**

## **REQUEST FOR QUOTATION (RFQ)**

**FOR** 

# SUPPLY AND INSTALLATION OF GLOW SIGN BOARD IN VARIOUS BRANCHES UNDER OUR INDIAN BANK ZONAL OFFICE SALEM.

Ref:No	o: ZO:SL	M:GSB		
Date	: 29.08.	2024		
From:				
	•••••		 •	 • • • • •

This Bid document contains 14 pages



#### **INDIAN BANK**

#### **NOTICE INVITING QUOTATION**

Indian Bank, Zonal Office, Salem invites sealed Quotation (Single bid System) for Supply And Installation of Glow Sign Board for Various Branches under Indian Bank Zonal Office Salem.

Last date of submission	05.09.2024 upto 16.00Hrs. at Indian Bank, Zonal Office,			
of RFQ	Premises, Estate & Expenditure dept, Third Floor, No. Divya			
	Towers, Shevapet, Salem, 636 001.			
Date of opening RFQ	05.09.2024 at 16.30Hrs. at Indian Bank, Zonal Office,			
	Premises, Estate & Expenditure dept, Third Floor, No. Divya			
	Towers, Shevapet, Salem, 636 001.			

#### Note:

- 1. Price bid should be submitted in separate sealed covers for each Branch as enclosed.
- 2. The bank reserves the right to reject any quotation without assigning any reason.
- 3. The rates shall be quoted by the tenderer after inspecting the site.
- 4. Bank is not liable to make any payment to tenderers for preparation to submit the tender/bid.
- 5. Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

#### **DEPUTY ZONAL MANAGER**

Indian Bank, Zonal Office, Salem, Third Floor, Divya Towers, Shevapet, Salem – 636 001.

Ph: 0427 - 2216499.

Email: zosalem@indianbank.co.in

Signature & Seal of the Tenderer



Schedule of	Quantities					
S & I of Glow Sign Board for SANKARI Branch at 19,SR Complex, Rajamani Thottam Bhavani Main Road Sankari						
S.No Description	Road Cank	Unit	Qty	Item Rate	Amount	
Translucent Vinyl with 5 years warranty, Flexyears warranty and LED Modules of make: L Modules for each square feet with 7000 or 8 67 water Proof rating, 50,000 burning hours modules are powered using suitable LED (OEM's make of LED) with Driver Wattage: Power driver should be Dust Proof & IP 67 was Specification of Box: Box should be made or	Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.  Specification of Box: Box should be made of depth 7" on all sides made of 24					
gauge Powder coated GI sheet GI sheet on Gauge Powder coated GI sheet as Back Pane Frames of size 1"x1" (25mm x 25mm approx. Square pipe painted with white enamel paint for edge to edge illumination 1"x1" (25mm x 25mm x	el ) made of 18 over a coat 25mm appro on to preve s door for i	B Gauge of anti- ox.) Alu nt wate mainter Board,	e double rust coa minium er from nance co	e framed ating and angle to dripping of Power		
a Glow Sign Board of Size 42 feet x 4 feet as specification		Sqft	168			
b Glow Sign Board of Size 15 feet x 4 feet as specification	•	Sqft	60			
c Glow Sign Board of Size 8' feet x 4' feet as specification	per above	Sqft	32			
d Double sided Glow Sign Board of Size 3 fee as per above specification	et x 4 feet	Each	1			
2 Supply & Installation of L&T make electronic	Timer	Each	2			
3 Transportation Charges		L.S	1			
4 Total Amount						
5 GST as applicable%						
6 Gross Amount		_	_			

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5

years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.
Place:

Date:

Signature & Seal of the Bidder



	Schedule of Quantities						
S &	S & I of Glow Sign Board for Yercaud Branch at Hotel Select Building Near Bus Stand Yercaud						
S.No	Description	Item Rate	Amount				
1	Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.						
	Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel						
	Frames of size 1"x1" (25mm x 25mm approx.) made of 1 Square pipe painted with white enamel paint over a coaf for edge to edge illumination 1"x1" (25mm x 25mm appr be provided. All joints to be filled with silicon to preve inside the box and need to provide access door for Supply and LEDs.  The Cost include removing of existing Glow Sign new Board including supporting angles / poles, scaetc., for proper completion of the work.	t of anti- rox.) Alu ent wate mainter Board,	rust coa minium er from nance co install	ating and angle to dripping of Power			
а	Glow Sign Board of Size 20 feet x 4 feet as per above specification	Sqft	80				
b	Glow Sign Board of Size 15 feet x 4 feet as per above specification	Sqft	60				
С	Glow Sign Board of Size 8' feet x 3' feet as per above specification	Sqft	24				
d	Double sided Glow Sign Board of Size 2 feet x 2 feet as per above specification	Each	1				
2	Supply & Installation of L&T make electronic Timer	Each	2				
3	Transportation Charges	L.S	1				
4	Total Amount	•	•				
5	GST as applicable%						
6	Gross Amount						

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Date:	Signature & Seal of the Bidder

Place:



	Schedule of Quantities	<b>3</b>				
S	S & I of Glow Sign Board for Sivadhapuram Branch at Near Bharat Petroleum Petrol Bunk Siddhar Koil Main Road Sivadhapuram					
S.No	Description	Unit	Qty	Item Rate	Amount	
1	Supply & Installation of Glow Sign Board with Vinyl Fasc Translucent Vinyl with 5 years warranty, Flex Material of years warranty and LED Modules of make: LT / ADS 12 Modules for each square feet with 7000 or 8000 K colo 67 water Proof rating, 50,000 burning hours & 5 years modules are powered using suitable LED Power Driv (OEM's make of LED) with Driver Wattage: 30w – 200 Power driver should be Dust Proof & IP 67 water proof.  Specification of Box: Box should be made of depth 7" of gauge Powder coated GI sheet GI sheet on TOP, Botto Gauge Powder coated GI sheet as Back Panel  Frames of size 1"x1" (25mm x 25mm approx.) made of 1 Square pipe painted with white enamel paint over a coat for edge to edge illumination 1"x1" (25mm x 25mm approxed be provided. All joints to be filled with silicon to preven inside the box and need to provide access door for Supply and LEDs.  The Cost include removing of existing Glow Sign new Board including supporting angles / poles, scatetc., for proper completion of the work.	of make: ov Modul ur Temp s warran ver of m ow. LED on all side om and som and tox.) Alu ent wate mainter  Board, affolding	LG Flee les. (min perature ty and lake: L Module des ma Sides a e double rust coa minium er from hance co install g, labou	is Hausys ex with 5 nimum 3 e) with IP the LED T / ADS ex & LED  de of 24 nd of 26 ex framed atting and angle to dripping of Power  attion of		
а	Glow Sign Board of Size 30 feet x 4 feet as per above specification	Sqft	120			
b	Glow Sign Board of Size 15 feet x 4 feet as per above specification	Sqft	60			
С	Glow Sign Board of Size 12' feet x 3' feet as per above specification	Sqft	36			
2	Supply & Installation of L&T make electronic Timer	Each	2			
3	Transportation Charges	L.S	1			
4	Total Amount					
5	GST as applicable%					
6	Gross Amount					

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board a years, If Sign Board gets faded or LED not working during the warranty per the same free of cost under warranty within a reasonable time period.	· .
Place:	
Date:	Signature & Seal of the Bidder



	Schedule of Quantities	5				
	S & I of Glow Sign Board for Chittur Branch			/leltheru		
S.No	Idappadi Main Road, Chittur, Ida Description	Unit	Qty	Item Rate	Amount	
1	Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.					
	Specification of Box: Box should be made of depth 7" gauge Powder coated GI sheet GI sheet on TOP, Botto Gauge Powder coated GI sheet as Back Panel  Frames of size 1"x1" (25mm x 25mm approx.) made of 1 Square pipe painted with white enamel paint over a coaffor edge to edge illumination 1"x1" (25mm x 25mm approx 25mm	om and 8 Gaug t of anti- rox.) Alu ent wate mainter  Board, affolding	e double rust coaminium er from nance coaminstall g, labor	e framed ating and angle to dripping of Power		
a b	Glow Sign Board of Size 15 feet x 4 feet as per above specification Glow Sign Board of Size 6 feet x 3 feet as per above	Sqft Sqft	60 18			
С	specification  Double sided Glow Sign Board of Size 3 feet x 4 feet	Each	1			
2	as per above specification  S&I of Vinyl Print Foam Board with necessary base framework for required size as per site condition.	Sqft	25			
3	Supply & Installation of L&T make electronic Timer	Each	2			
4	Transportation Charges	L.S	1			
5	Total Amount					
6	GST as applicable%					
7	Gross Amount					

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:			

Date:

Signature & Seal of the Bidder



	Schedule of Quantities	3				
	S & I of Glow Sign Board for Salem Fort Branch at Sannathi Street, Fort, Salem					
S.No	Description	Item Rate	Amount			
1	Supply & Installation of Glow Sign Board with Vinyl Fast Translucent Vinyl with 5 years warranty, Flex Material of years warranty and LED Modules of make: LT / ADS 12 Modules for each square feet with 7000 or 8000 K colo 67 water Proof rating, 50,000 burning hours & 5 years modules are powered using suitable LED Power Driv (OEM's make of LED) with Driver Wattage: 30w – 200 Power driver should be Dust Proof & IP 67 water proof.  Specification of Box: Box should be made of depth 7" of gauge Powder coated GI sheet GI sheet on TOP, Botto Gauge Powder coated GI sheet as Back Panel  Frames of size 1"x1" (25mm x 25mm approx.) made of 1 Square pipe painted with white enamel paint over a coaffor edge to edge illumination 1"x1" (25mm x 25mm approximately be provided. All joints to be filled with silicon to preven inside the box and need to provide access door for Supply and LEDs.  The Cost include removing of existing Glow Sign new Board including supporting angles / poles, scatetc., for proper completion of the work.	of make: Nodu ur Temp s warran ver of m Ow. LED on all sign om and 8 Gauge t of anti- rox.) Alu ent wate mainter  Board,	LG Flee les. (min perature ty and nake: L Module des ma Sides a e double rust coa minium er from nance co install	ex with 5 nimum 3 e) with IP the LED T / ADS e & LED de of 24 and of 26 e framed ating and angle to dripping of Power ation of		
а	Glow Sign Board of Size 37 feet x 4 feet as per above specification	Sqft	148			
b	Glow Sign Board of Size 15 feet x 4 feet as per above specification	Sqft	60			
С	Glow Sign Board of Size 8 feet x 4 feet as per above specification	Each	32			
2	Supply & Installation of L&T make electronic Timer	Each	2			
3	Transportation Charges L.S 1					
4	Total Amount					
5	GST as applicable%					
6	Gross Amount					

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:	
Date:	Signature & Seal of the Bidder



	Schedule of Quantities	3					
S & I of Glow Sign Board for Ammampalayam Branch at 5/530 A							
S.No	Amman Nagar Cuddalore Main Road Ammamp  Description	balayam Unit	Post A	ittur Taluk Item	Amount		
3.110	Description	Oilit	Qty	Rate	Amount		
1	Supply & Installation of Glow Sign Board with Vinyl Fast Translucent Vinyl with 5 years warranty, Flex Material of years warranty and LED Modules of make: LT / ADS 12 Modules for each square feet with 7000 or 8000 K colo 67 water Proof rating, 50,000 burning hours & 5 years modules are powered using suitable LED Power Driv (OEM's make of LED) with Driver Wattage: 30w – 200 Power driver should be Dust Proof & IP 67 water proof.  Specification of Box: Box should be made of depth 7" of gauge Powder coated GI sheet GI sheet on TOP, Botto Gauge Powder coated GI sheet as Back Panel  Frames of size 1"x1" (25mm x 25mm approx.) made of 1 Square pipe painted with white enamel paint over a coated GI sheet on TOP.	ex with 5 nimum 3 e) with IP the LED T / ADS e & LED de of 24 and of 26 e framed					
	for edge to edge illumination 1"x1" (25mm x 25mm appr be provided. All joints to be filled with silicon to preve inside the box and need to provide access door for Supply and LEDs.  The Cost include removing of existing Glow Sign new Board including supporting angles / poles, sca etc., for proper completion of the work.	angle to dripping of Power ation of					
а	Glow Sign Board of Size 40 feet x 4 feet as per above specification	Sqft	160				
b	Glow Sign Board of Size 10 feet x 4 feet as per above specification	Sqft	40				
С	Glow Sign Board of Size 10 feet x 4 feet as per above specification	Each	40				
2	Supply & Installation of L&T make electronic Timer	Each	2				
3	Transportation Charges	L.S	1				
4	Total Amount						
5	GST as applicable%						
6	Gross Amount						

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide warranty card for the Glow Sign Board and LED Light for a period 5

years, If Sign Board gets faded or LED not working during the warranty per the same free of cost under warranty within a reasonable time period.	riod the supplier need to replace
Place:	
Date:	Signature & Seal of the Bidder