

INDIAN BANK

QUOTATION DOCUMENT

FOR

PROVIDING OF FALSE CEILING IN IMAGE AUDITORIUM AT M.R.C NAGAR, RAJA ANNAMALAIPURAM, CHENNAI – 600 028

Ret:No: C	O:ES1:1NDR:BG:007:2020-21
Date : 07	7.01.2021
From:	

This Tender document contains 11 pages

Signature & Seal of the Bidder







INDEX

DESCRIPTION	PAGE NOS.
NOTICE INVITING QUOTATION	3
GENERAL RULES AND INSTRUCTIONS TO BIDDERS	4 - 6
SPECIAL CONDITIONS OF CONTRACT	7
APPROVED LIST OF MATERIALS	8 - 9
SCHEDULE OF QUANTITIES	10 - 11





INDIAN BANK

NOTICE INVITING QUOTATION

Indian Bank, Corporate Office, Chennai invites sealed Quotation for 'Providing of false ceiling in the corridor and terrace rooms at IMAGE Auditorium complex, M.R.C. Nagar, R.A.puram, Chennai' from empanelled Interior Contractors with Indian Bank Corporate Office and having full time local office in Chennai.

1.	Name of work	'Providing of false ceiling in the corridor and terrace rooms at IMAGE Auditorium complex, M.R.C. Nagar, R.A.puram, Chennai'			
2.	Estimated cost of work	Rs.5.00 Lakh			
3.	Period of completion	10 days reckoned from 03 days from the date of Work Order or handing over of site whichever is later			
4.	Validity of Quotation	30 Days from the date of opening			
5.	Defects Liability Period	12 Months from the date of virtual completion of work			
6.	Retention Money/ Security Deposit	8% against the final bill (No interim bill we permitted). 50% of the Security Deposit shall be returned within 15 days from the date of final payment and balance 50% after expiry of defect liability period			
7.	Liquidated Damages	1% per week of the Contract Value subject to maximum total of 5% of Contract value			
8.	Quotation Documents	PDF document can be downloaded from our website from 07.01.2021 to 11.01.2021.			
9.	Cost of Quotation Documents	Free of Cost			
10.	Earnest Money Deposit	Nil			
11.	Last date of submission of Quotation	11.01.2021 upto 15.00 Hrs. at Indian Bank, Corporate Office, Premises, Estate & Expenditure dept, First Floor, No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai – 600 014.			
12.	Date of opening Quotation	11.01.2021 upto 15.30 Hrs. at Indian Bank, Corporate Office, Premises, Estate & Expenditure dept, First Floor, No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai – 600 014.			

Note:

- 1. The bank reserves the right to reject any bid without assigning any reason.
- 2. The rates quoted by the bidder shall be based only on the specifications and conditions of the tender documents.
- 3. Bank is not liable to make any payment to bidders for preparation to submit the tender/bid.

ASSISTANT GENERAL MANAGER (P&E)

Indian Bank, Corporate Office,
Premises, Estate & Expenditure Dept,
First Floor, No. 254-260,
Avvai Shanmugam Salai,
Royapettah, Chennai – 600 014.
Ph: 044 -28134300 (ext. 4401, 4498, 4306, 4305, 4501)

TTI. 044 -20104000 (EXI. 4401, 4470, 4000, 4000, 4001)





GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF BIDDERS

- 1. Quotes, which should always be placed in sealed cover, with the name of the work written on the envelope "Providing of false ceiling in the corridor and terrace rooms at IMAGE Auditorium complex, M.R.C. Nagar, R.A.puram, Chennai" will be received by Assistant General Manager (P&E), Indian Bank, Corporate Office, Premises, Estate & Expenditure Dept, No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai 600 014.
- 2. The Indian Bank does not bind itself to accept the lowest or any bid and reserves to itself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 3. The rate quoted by the bidder shall be net, up to the stage of incorporation and handing over site. All taxes including Sales Tax or any other tax on material or on finished works like work's contract tax, Turn-over Tax, including taxes that may be newly introduced subsequent to the tender etc. in respect of this contract shall be payable by the Tenderer/ bidder and the Indian Bank will not entertain any claim whatsoever in this respect except the GST to the overall bid amount.
- 4. The bidder shall give a list of his relatives working with the Indian Bank along with their designations and addresses.
- 5. No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the bid or engagement in the bidders service.
- 6. The bid for works shall remain open for acceptance for a period of 30 days from the date of opening of bid. If any bidder who withdraws his/ her bid before the said period, then the Indian Bank shall be at liberty to debar the contractor from the panel.
- 7. It will be obligatory on the part of the bidder to sign & seal the tender documents for all the component parts.
- 8. The retention amount at 8% on the value of the bill paid will be held by the Indian Bank. 50% of the retention amount will be paid after 15 days from completion of the project and balance 50% will be released at the end of Defects liability period, subject to satisfactory rectification of defects noticed, if any. Retention amount held in our Indian Bank's books will not carry any interest.
- 9. The acceptance of a tender will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the tenders received without the assignment of a reason. Tenders in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the tender in full or in part and the bidder shall have no claim for revision of rates or other conditions if his tender is accepted in parts.
- 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the bidders who resort to canvassing will be liable to rejection.
 - All rates shall be quoted on the proper form of the tender alone. **All the entries to be made legibly in ink only.** Rates written in pencil or any other mode shall not be considered for evaluation and will be rejected.
- 11. An item rate tender containing percentage below / above will be summarily rejected. However, where a bidder voluntarily offers a rebate for payment along with sealed tender, the same may be considered.
- 12. On acceptance of the tender the name of the accredited representative(s) of the bidder who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank.





- 13. Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.
- 14. The Contractor shall comply with and give all notices required under any law, rules, regulations, or bye-law of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/ approval from the building secretary/ association. The Contractor shall before commencing the execution of work issue a certificate to the Employer that he has obtained all the permissions Registrations and give all the notices as are required to be obtained or given under law particularly blasting permission, Police permission etc.
- 15. The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care to keep areas free from getting water logged, from concrete/mortar dippings, bricks, steel, shuttering materials or any other material / rubbish.
- 16. Debris and items removed from the building have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No floor, roof or other part of the building shall be over-loaded with debris or materials as to render it unsafe.
- 17. Employer reserves the right to insist on selection of material, workmanship, detailing and finishes, which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.
- 18. Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/ materials.
- 19. For painting, sample area shall be prepared and the shade got approved. It is also advised to give computer presentation of various colour schemes to the employer before going for sample painting.
- 20. The bidder should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants. Any damage so caused shall be made good at the cost & risk of the bidder.
- 21. The successful bidders shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc to support the frames, partitions, make the surface good after grouting, scaffolding required if any to load/unload the materials etc.
- 22. The successful contractor shall also be responsible for the safety and security of all their men & materials and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge. Bank will not be responsible for any untoward accident caused by the negligence of the contractor.
- 23. The work shall be carried out without disturbing the existing occupants of other flats. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost. The work is to be organized and executed so as to have least disturbance to the occupants of other flats.
- 24. **No interim bill payment is permitted.** The bills in proper forms must be duly accompanied by detailed measurements in support of the quantities of work done and must show deductions for all previous payments, retention money etc. The Employer after detailed scrutiny of the bill shall certify full payment to the Contractor subject to submission of documentation as required.
- 25. The contractor should ensure payment of minimum wages + VDA to all labourers / workmen staff employed by him inline with central/ state labour wage act whichever higher.





- a) The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's Liability Act 1938, Workman's Compensation Act 1923, the Maternity Benefit Act 1961, the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition) Act 1970 and Employees State Insurance Act 1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made thereunder from time to time or as a consequence of any accident or injury to any workman or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims
- 26. The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.
- 27. If the work is not started within **3 days** from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory and is not consistence to be in contingent with the period of the completion of the work then the Bank may terminate the work order by giving a final notice to the contractor.
- 28. The time allowed for completing the works is **10 days** to be reckoned from **03 Days** from the date of Work Order / date of handing over site whichever is later. Bidders shall submit a programme (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.
- 29. If the Contractor fails to complete any or all the works by the date/s named in "Date of Completion" or within any extended time (in case Bank Permits) then the Contractor shall pay or allow the Employer the sum to be worked out at 1.0% of contract value per week to be recovered as Liquidated Damages (and not by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be 5% of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.
- 30. The Employer reserves the right to execute any part of the work included in this Contract through some other agency or persons if the progress is not upto the expected level by the Bank and the Contractor shall allow all reasonable facilities for the execution of such work. The Contractor shall extend all co-operation in this regard.
- 31. If at any time after acceptance of the bid the Employer shall decide to abandon or reduce the scope of the works for any reason whatsoever and hence not require the whole or any part of the works to be carried out he shall inform the Contractor in writing to that effect and the Contractor shall have no claim to any payment or compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works.

ASSISTANT GENERAL MANAGER (P&E),

Indian Bank Corporate Office, Premises, Estate & Expenditure Dept, No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai – 600 014.





SPECIAL CONDITIONS OF CONTRACT

- 1) INDIAN BANK, Chennai has an existing Auditorium which is located in its own premises. The building is a RCC framed structure with G+3 floors. The Auditorium has seating for 875 (approx.).
- 2) Bank has appointed an Architect cum PMC & a Contractor to carry out repair and renovation works in the Auditorium by tender process.
- 3) The works being carried out by the Main contractor in the Auditorium are Civil, Plumbing, Roofing, Interior, Acoustic, HVAC, Electrical & Solar panel works.
- 4) Now, Bank intends to appoint a contractor for providing of false ceiling & trap doors in 2nd floor corridor & 3rd floor area and rear side of the stage area.
- 5) The colour and sample of all the material to be used in the project has to be got approved from the Bank.
- 6) The quoted rate is inclusive of all necessary scaffolding, screws, locks, washers, nuts, electrical extension wires etc. and as directed by Bank.
- 7) The suspended Grid False Ceiling to be installed in the 2nd floor corridor of the Auditorium.
- 8) The Gypsum Ceiling to be installed in the 3rd floor corridor and back side to the stage area.
- 9) Material, labour, machineries etc. required for the work of each location shall be provided separately so that the work can be taken up simultaneously at all locations as per the priority of the Bank.
- 10) Bank reserves the right to select the next most responsive participant to execute the work in whole or part in the same rate as quoted by the L-1 bidder, if the selected bidder fails to execute the work as per the above requirements of the Bank.
- 11) Time is the essence of this project and hence completion schedule of **10 days** should be strictly adhered to.





List of Materials of Approved Brand And/ Or Manufacture

False Ceiling & Carpentry:

1	PVC Laminated Gypsum Tile	India Gypsum Gyproc USG Boral Supersil or approved equivalent.
2	Gypsum False ceiling	India Gypsum Lafarge Boral Gyproc USG Boral or approved equivalent.
3	Marine Plywood	1. Century 2. Greenply 3. Archid 4. Mayur or approved equivalent
4	BWR grade phenol bonded plywood	1. Greenply 2. Century 3. Sharon Ply 4. Mayur or approved equivalent.
5	Particle Board	Greenply Duro or approved equivalent
6	Fibre Board (MDF, LDF)	Century Novapan Swastik or approved equivalent
7	P.O.P.	Gyproc India India Gypsum Saint Gobain or approved equivalent
8	Glass	Saint Gobain Saint Gobain Saint Glass India (Asahi) Modigaurd or approved equivalent.
9	Wood preservative	Bison by British paints or approved equivalent.
10	Primer	Berger Asian ICI Dulux Nerolac paints or approved equivalent
11	Acrylic Emulsion paints	1. Berger 2. Asian 3. ICI Dulux





		4. Nerolac or approved equivalent
12	Enamel paints	1. Berger
		2. Asian
	=	3. ICI Dulux
	_	4. Nerolac or approved equivalent
13	Aluminium sections	1. Hindalco
		2. Jindal
		3. Nelco or approved equivalent
14	Adhesive	1. Fevicol SH
	11	2. Araldite of Ciba Geigy
	-	3. Bal Endura
	-	4. Pidilite or approved equivalent.
15	Hardware (Hinges &	1. EBCO
	others)	2. Godrej
		3. Haffele
		4. Dorset or approved equivalent.

Note -

- 1. Materials mentioned in the specification shall be used for the work. If specified material is not available prior approval of the Employer shall be taken to use other brands.
- 2. Preference of makes, supply of items should be consulted with client/consultant before effecting of supply.

NAME AND ADDRESS OF THE CONTRACTOR:

SIGN & SEAL OF THE CONTRACTOR:

Date:

Place:





Schedule of Quantities False Ceiling works					
S.	Description	Unit	Qty		Estimate
10.	·	VIIII	City	Rate	Amount
1	Providing and fixing of suspended False Ceiling system consisting of 600 x 600mm (± 05mm) Square edge Vinyl laminated tile of 9.5 mm (± 0.5mm) with backing done by Aluminium Foil laid as per manufacturers' specifications. The White Tiles shall have Humidity Resistance (RH) of 95% to 99%, Light Reflectance upto 85% to 90% colour white. The tile shall be laid on approved profile grid system with 24mm wide flanges, Main runners & Exposed Cross tees to have mitred cruciform junctions. The T sections to be of hot dipped galvanized steel sections and need to be installed with suspension system as per manufacturer details. All complete as per instructions of Bank Architect/ Engineer and at all heights.	Sft	5200		
2	Providing and fixing in position false ceiling with gypsum board at all height laid as per manufacturers' specifications and as per drawing with gypboard 12.5mm thk. fixed to the underside of suspended grid formed of G.I. Perimeter channel 20x27x30mm fixed along the wall by using wood screws and metal expansion rawl plugs. The G.I. intermediate channel of size 45x15x 0.9mm shall be fixed to the perimeter channel at intervals not more than 1220mm The suspended G.I.ceiling angle is to be connected at G.I soffit cleat of size 37x27x25x1.6mm and it should be fixed on top of roof slab / beam by using metal expansion fasteners. The G.I. ceiling section of size 80x26x0.5mm is to be provided across the intermediate channel at intervals not more than 457mm centres at bottom and the same shall be fixed by G.I. connecting clips 2.64mm dia at the intersection points. The ends of intermediate channel shall be inserted into perimeter channel by adopting an overlap length of minimum 100mm covering with intermediate channel and main supporting section. (All components of Gyproc, Gypsteel Ultra or equivalent make) and finished with recommended filler, jointing tapes, finisher, two coats of Altek putty in entire surface, one coat of primer and two coats of acrylic Emulsion with roller finish. Rates inclusive of providing necessary provision such as cutouts for lights, sensors, trap doors etc. All complete as per instructions of Bank	Sft	600		



3	Providing and fixing Trap door in the false ceiling for ceiling suspended AHU units in 19mm thick plywood with necessary hinges and bolts, edge frames, plywood finished in approved color with one coat of primer and two coats of acrylic Emulsion. All complete as per instructions of Bank Architect/ Engineer and at all heights.		400		
	Sub-Total				
4,5	Discount %				
	Total				
	GST				
	Grand Total				

Total Amount in words: Rupees		
*,8	only +	applicable GST.
(Amount excluding of GST but including discount, if any will be considered bid)	for evaluation	uation of financial
NAME AND ADDRESS OF THE CONTRACTOR:		
SIGN & SEAL OF THE CONTRACTOR:		
¥		
Date: Place:		
ridec.		

